

CYCLO TOOLMAKERS, INC.

PRODUCT CATALOG

Entire contents ©2005 Cyclo Toolmakers, Inc.



THE SHINING LEGEND.

Cyclo Toolmakers, Inc.
1740 Skyway Drive, Longmont, CO 80504 USA
www.cyclotoolmakers.com

CYCLO MODELS 5 ELECTRIC & 11A PNEUMATIC

Why is the Cyclo the world's premier polisher? The difference can be found in its patented dual orbital heads. Rather than spin like traditional rotary polishers, the Cyclo's heads rotate in an overlapping circular motion. Its movement is almost identical to hand polishing, only much quicker. That unique combination of motion, speed and just the right weight makes it perfect for deoxidizing, buffing, and glazing paint and metals to a mirror finish.

Equally important, the Cyclo's innovative design eliminates the main problem that plagues rotary polishers – heat build-up that can cause visible burns, gouges and swirls.

MODEL 5 SPECIFICATIONS

Model 5 (80-010) • Power Supply: 115 Volts, 60 Hertz, 220 Watts
Model 5C (80-020) • Power Supply: 230 Volts, 50 Hertz, 220 Watts
Model 5CE (80-030) • Power Supply: 230 Volts, 50 Hertz, 220 Watts, meets CE Electrical Standards • **Motor:** Alternating current, semi-enclosed 24-bar commutator • **Speed:** 3000 orbits/minute
• Model 5 Output: 1/3 H.P. (.25 Kw) • **Model 5C Output:** 1/3 H.P. (.25 Kw) • **Model 5CE Output:** 1/3 H.P. (.25 Kw) • **Weight:** 6.5 lb. (2.9 kg) • **Head Rotation/Diameter:** Clockwise/4" • **Model 5 Electric Cord:** 6' length, 16 ga/3 SJT • **Model 5C/5CE Electric Cord:** 2 m length, 1 mm (18 ga) • **Housing:** Heavy-duty cast aluminum, double-insulated

Perfect for every polishing project.

The Cyclo legend began in 1953 when it was approved for use by the government to polish its military aircraft and missiles. During those years, the Cyclo earned its reputation for durability and dependability as it was used on fleet after fleet of large airplanes. Indeed, there are many fifty-year-old Cyclos still in use around the world.

Today, the Cyclo delivers a superior polish on mainstream products such as automobiles, boats, even Airstream™ RVs. Car dealerships, automobile detailers, car washes, and fleet users all rely on the Cyclo to keep their vehicles looking like new.

The Cyclo continues to be the polisher of choice for aircraft. In fact it's



MODEL 11A SPECIFICATIONS

Air Supply Req: Regulated to 90 psi (6 bar), minimum 12-14 cfm (340-400 l/min); dry, filtered and lubricated air • **Speed @ 90 P.S.I.:** 2900 R.P.M.
• Max. Speed: 3200 R.P.M. • **Output:** .46 H.P. (.34 Kw) • **Weight:** 7.25 lb. (3.3 kg) • **Head Rotation/Diameter:** Clockwise/4" • **Sound Level:** 77 dBA (Conforms to OSHA stds.) • **Vibration:** Max 6.5 m/s RMS • **Air Connection:** 1/4"-18 NPT Nipple • **Housing:** Heavy-duty cast aluminum





- Diecast, precision machined 380 aluminum alloy case
- Tough ABS insulated handle
- Sealed, steel ball bearings and needle bearings
- Easily serviceable long-life carbon brushes
- Sturdy high-torque motor with integral metal cooling fan
- Well-balanced ergonomic design
- Helical-cut nylon gears
- Hardened-steel gear shafts
- Twin 3000 orbits per minute hand-action heads

currently used to polish the Air Force One fleet and most major airline fleets worldwide.

Polishing is just the beginning.

While the Cyclo is legendary for its polishing capabilities, it also provides the user with versatility. Attach one of its many accessories, and this incredible machine can scrub carpets, sand flat or contour surfaces, buff windshields, or strip wax buildup from floors. It's even used to remove puck marks from hockey arena walls.



The synchronized movement of the Cyclo mirrors that of hand rubbing – an overlapping circular motion. And the Cyclo's twin heads don't spin in one place, so there's no threat of heat build-up or burn marks.

Nothing outshines the Cyclo.

For polishing, versatility and value, the Cyclo is in a class by itself. To learn more, contact your Cyclo Toolmakers dealer, or visit www.cyclotoolmakers.com.

Each Cyclo is expertly machined, manually polished, and hand-fitted to ensure durability and longevity. Its solid metal construction, machined fittings, precisely crafted gears and hand assembly make the Cyclo the world's finest orbital polisher. In addition, this extraordinary tool is serviceable. Every part on a Cyclo can be replaced, ensuring that it will continue to perform at its highest level for years, even decades, after purchase.



Model 5 (80-010) 115 Volts \$299

Model 5C (80-020) 230 Volts \$328

Model 5CE (80-030) 230 Volts European Community \$354

Model 11A (80-040) Pneumatic \$615

CYCO GENUINE ACCESSORIES

Cyclo provides a wide variety of pads, pad covers, discs, and brushes for its machines. The CTI line of cleaners and polishes is also expressly formulated for the use with the Cyclo polisher. As a result, your Cyclo provides you with unmatched versatility. Whether you're trying to achieve that professional "hand-rubbed" look for your automobile, polishing metal, cleaning fine carpets, or just about any other cleaning or polishing task, Cyclo has the right accessory for the job.

Foam /Wool Bonnets

(71-Series) Foam and wool discs permanently attached to rubber bonnets. Most durable. Fit directly over Cyclo heads.

Foam /Wool Loop Pads

(72-Series) Foam and wool discs with integral "hook & loop" loop backing for quick, easy multiple pad changes. Require Rubber Pad Holders (79-101), \$8.14 ea., which fit directly over Cyclo heads.

Pad Covers

(73-Series) Fabric covers with elasticised openings which fit tightly over foam or wool pads to aid in wax application, cleaning, or buffing.

Brushes

(76-Series) Brushes have integral connectors which screw directly into the Cyclo, replacing the heads. Require Cyclo flat wrench to attach.

Discs

(74-Series) Materials without added backing; attach to Rubber Pad Holders (79-101).

ProShine™ Discs

(72-7xx Series) Ultrafine cushioned abrasives discs; use ProShine Interface Pad (79-920), \$4.00 ea., between discs and Rubber Pad Holder (79-101).

FOAM PADS



RECOMMENDED APPLICATIONS

- Extreme Shine • Final Wax Buff
- Wax Application • Sealant • Metal Sealant

White Finishing Pad: This superfine pad is used in final buffing, after polishing with other pads is complete. Excellent for applying sealants and buffing out wax.

Foam Bonnet (71-110) \$4.65, Foam Pad w/Loop (72-110) \$3.24



RECOMMENDED APPLICATIONS

- Sealant • Paint Polish
- Paint Cleaner • Metal Sealant

Green Polishing Pad: A more aggressive pad than the White Finishing Pad. The pore density makes it perfect for polishing and for removing light oxidation. Leaves a stunning shine.

Foam Bonnet (71-120) \$4.65, Foam Pad w/Loop (72-120) \$3.24



RECOMMENDED APPLICATIONS

- Paint Polish • Paint Cleaner • Paint Deox
- Paint Compound • Metal/Chrome Polish

Orange Compounding & Polishing Pad: An exceptional, all-in-one, cleaning and polishing pad. This high density pad has the power to remove light scratches and polish the surface.

Foam Bonnet (71-125) \$5.16, Foam Pad w/Loop (72-125) \$3.76



RECOMMENDED APPLICATIONS

- Paint Polish • Paint Cleaner • Paint Deox
- Paint Compound • Paint Scratch Removal

Yellow Cutting Pad: A firm, versatile pad than can be used on everything from compounding and scratch removal to applying paint cleaners and polishes.

Foam Bonnet (71-135) \$5.16, Foam Pad w/Loop (72-135) \$3.76



RECOMMENDED APPLICATIONS

- Bug Removal • Paint Deox • Paint Compound
- Paint Scratch Removal • Metal Polish/Cleaner

Yellow Scrubbing Pad: Scrubs away hard to remove materials such as bugs, tar, and sap. Also used as a more aggressive deoxidizer.

Foam Bonnet (71-160) \$5.16, Foam Pad w/Loop (72-160) \$3.76

WOOL PADS



RECOMMENDED APPLICATIONS

- Metal Polish/Cleaner • Paint Deox
- Paint Compound • Paint Scratch Removal

Light Cutting Wool Pad: The preferred multipurpose wool/poly pad, used for metal polishing and paint compounding. This pad is excellent for removing swirl marks and light scratches.

Wool Bonnet (71-455) \$5.14, Wool Pad w/Loop (72-455) \$4.00

PAD COVERS*



RECOMMENDED APPLICATIONS

- Extreme Shine

Microfiber Suede Pad Cover: An ultra-soft cover used for final touches. Removes all surface residue.

Pad Cover (73-515) \$3.24



RECOMMENDED APPLICATIONS

- Final Wax Buff

Microfiber Terry Pad Cover: The preferred cover for applying polish and buffing wax. Its hooked fibers remove surface residue.

Pad Cover (73-530) \$3.24



RECOMMENDED APPLICATIONS

- Final Wax Buff • Upholstery

Cotton Terry Pad Cover: A 100% cotton terry cover. Perfect for cleaning interior surfaces and for buffing, polishing, and drying exterior surfaces.

Pad Cover (73-550) \$3.24

*Pad Cover colors may vary.

DISCS



RECOMMENDED APPLICATIONS

- Plexiglass and Paint Scratch Removal

Cyclo ProShine™: A unique resilient cushioned abrasive disc available in grits of 4,000, 6000, 8,000, & 12,000.

(72-704, 72-706, 72-708, & 72-712) \$2.75



RECOMMENDED APPLICATIONS

- Tile and Grout • Ice Hockey Rink Walls
- Rust Removal

Fastcut 600 Grit Disc: This coarse nylon pad is strong, durable, and specifically designed for rough surface areas.

Disc (74-660) \$0.93

BRUSHES




RECOMMENDED APPLICATIONS

- Upholstery • Fine Carpets

Grey Ultra Soft Upholstery Brush: The brush for delicate surfaces. Each bristle is "flagged," a technique that splits ends into multiple fine tips. Ideal for use on headliners, leather, or more fragile upholstery and natural fiber fine carpets.

Brush (76-810) \$17.77



RECOMMENDED APPLICATIONS

- Fine Carpets • Durable Carpets

Aqua Soft Carpet Brush: This brush features medium crimped bristles for gentle but thorough cleaning. Kneads and vibrates loose any soil or foreign matter. Perfect for most carpets.

Brush (76-830) \$17.00



RECOMMENDED APPLICATIONS

- Tile and Grout • Durable Carpets

White Standard Carpet Brush: The brush designed for more vigorous cleaning. It is recommended for floor pads and more durable carpets. The Standard Carpet Brush is stiffer and less giving, but more durable than the Soft Carpet Brush.

Brush (76-840) \$17.00



RECOMMENDED APPLICATIONS

- Tile and Grout • Truck Bed Liners

Stiff Scrub Brush: Our most aggressive brush. Provides exceptional scrubbing power on tough surfaces. Used for cleaning tile, stone floors, and pick-up truck bed liners.

Brush (76-870) \$17.00

CTI cleaners and polishes have been specifically designed for the action, speed, and weight of the Cyclo machine. They are fully compatible with all Cyclo pads and provide superior professional results.

CTI PRO PAINT CARE



Heavy Compounding Gel: Rids your surface of scratches and heavy oxidation. As with all CTI polishes, use a small amount. Very aggressive compounding polish for use on any surface.

1 Quart (84-192) \$16.50



Light Compounding Liquid: Used for removing hairline scratches and medium oxidation. It does not contain sealants and should be followed with a Cyclo polish and/or sealant.

1 Gallon (84-171) \$41.00, 16 oz. (84-176) \$11.30



Cleaner - Deoxidizer: Great for removing hairline scratches and light to medium oxidation. Mild abrasion creates a clean and smooth surface. Does not contain any shine components.

1 Gallon (84-151) \$58.60, 16 oz. (84-156) \$11.30



Polish and Protective Sealant: This high poly sealant will give your surface 12-18 months of durable protection and brilliant gloss. Restores your paint to its original new car shine. Great for use on all painted surfaces.

1 Gallon (84-111) \$58.60, 16 oz. (84-116) \$11.30

CTI 1 PASS EXPRESS



Cleaner - Polish - Sealant: CTI 1 Pass Express cleans, polishes and protects at the same time. Removes light scratches and environmental contaminants. It quickly restores showroom color and brilliance and protects finishes with a brilliant weather resistant silicone film. Excellent on any paint surface, including clear coats.

1 Gallon (84-241) \$58.60, 16 oz. (84-246) \$11.30

CTI METAL POLISH



Free Flite™ Cleaner - Polish: Aggressive rubbing compound for badly oxidized aluminum. Removes corrosion, oxidation and surface film leaving a hard polished finish. Popular with airlines for decades.

38 lbs. (84-395) \$198.00, 1 quart (84-392) \$16.50



Free Flite™ Protective Sealant: Mild deoxidizing agent specially formulated to bond to bare metal. Removes those fine polishing scratches only seen in direct sunlight. Also leaves a protective coating that prevents further oxidation.

1 Gallon (84-341) \$41.00, 16 oz. (84-346) \$11.30